UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

New England Office – Region I 5 Post Office Square, Suite 100 Boston, Massachusetts 02109-3912

October 12, 2010

Mr. Andrew T. Silfer, P.E. General Electric 319 Great Oaks Boulevard Albany, NY 12203

Sent via US Mail and Electronic Mail

RE: Conditional Approval of General Electric's September 2, 2010 submittal titled *Revised Interim Silver Lake Bank Planting Plan*, Silver Lake Area GE Pittsfield/Housatonic River Site

Dear Mr. Silfer:

This letter contains the Environmental Protection Agency's (EPA) conditional approval of the above-referenced titled *Revised Interim Silver Lake Bank Planting Plan*, Silver Lake Area (the "Report') submitted on September 2, 2010. The Report is subject to the terms and conditions specified in the Consent Decree (CD) that was entered in U.S. District Court on October 27, 2000.

Pursuant to Paragraph 73 of the CD, EPA, after consultation with the Massachusetts Department of Environmental Protection (MDEP) and the Natural Resource Trustees, approves the Report subject to the following conditions:

- 1. Sheet C-502, Details 2 and 3. The details shall include a note that coconut coir erosion/weed suppression mats will be placed around all installed trees and shrub plants. Bark mulch may be substituted for such mats for any plantings on relatively level terrain. (GE included this requirement on page 4 of 4 of the text, but did not include on the drawing).
- 2. Sheet C-502, Detail 5. The planting location description of the proposed 10-foot high trees should be revised as follows: Trees (Walking Path Stations 0+00 to 20+00) and along Fourth Avenue: (Insert underlined phrase).
- 3. GE shall incorporate the elements of this Report, as modified by this Conditional Approval Letter, into GE's Revised Silver Lake Area Final Remediation Work Plan, which is due November 8, 2010.

EPA reserves all of its rights under the Decree, including but not limited to, the right to perform and/or require additional sampling or response actions, if necessary, to meet the requirements of the Consent Decree. If there is any conflict between the Performance Standards as stated in the

Work Plan and the Performance Standards as stated in the Consent Decree and SOW, the Consent Decree and SOW shall control.

If you have any questions, please contact me at (617) 918-1282.

Sincerely,

Dean Tagliaferro, Project Manager

Den Tagliafario

cc: Mike Carroll, GE

Richard Gates, GE

Kevin Mooney, GE

Rod McLaren, GE

James Bieke, Goodwin Procter

Mark Gravelding, ARCADIS

Mike Gorski, MassDEP

Eva Tor, MassDEP

John Ziegler, MassDEP

Jane Rothchild, MassDEP

Karen Pelto, MassDEP

Susan Peterson, CTDEP

Kenneth Munney, USFWS

Ken Finkelstein, NOAA

Holly Inglis, EPA

Tim Conway, EPA

Susan Svirsky, EPA

Rich Fisher, EPA

Mayor James Ruberto, City of Pittsfield

William Hines Sr., PEDA

Barbara Landau, Noble and Wickersham

Jim McGrath, City of Pittsfield

Caleb Mitchell, City of Pittsfield

Deanna Ruffer, City of Pittsfield

John Burke, WMECO

John Tulloch, WMECO

Charles Nicol, Northeast Utilities

Amy Voisine-Shea, Northeast Utilities

Scott Campbell, Weston Solutions

Linda Palmieri, Weston Solutions

Public Information Repositories